



BED INSTALL: ALLIOUT OFFROAD PERFORMANCE
PICTURE CREDIT: BRIAN FIELDS

2020 TRUCK BEDS

WELCOME



Thank you for choosing Norstar as your source for truck beds. It is our pleasure to serve your business in providing the highest quality truck beds and service bodies on the market. Your satisfaction is our number one goal and we want to ensure our business relationship is always rewarding and prosperous. Please feel free to contact us with any questions, concerns, or any suggestions that can help improve our service to you.

Norstar was founded in 2012 with a seasoned and experienced team that raised the first 20,000 square foot facility by their own hands from the ground up. Within the first few years, Norstar became a major player in the national truck bed market.

- In the first two years, Norstar facilities expanded to almost five times the size of the original shop space.
- In 2018, Norstar saw another addition in the new stacking bay, bringing the total to 360,000 square feet.
- By 2019, Norstar encompassed 450,000 square feet. Nearly ten acres under one roof, showing no sign of slowing.

HERE WE GROW AGAIN





FORD

1998-2017	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	56" (58" 2018)	38"
Cab & Chassis	9'4"	94"/97"	60"	34"
Cab & Chassis	11'4"	94"/97"	84"	34"
Single Wheel Short Wheel Base	84"	84"	40"	38"
Single Wheel Long Wheel Base	8'6"	84"	56" (58" 2018)	38"

GMC/CHEVROLET

2001-PRESENT	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	56"	42"
Cab & Chassis	9'4"	94"/97"	60"	34"
Cab & Chassis	11'4"	94"/97"	84"	34"
Single Wheel Short Wheel Base	84"	84"	42"	42"
Single Wheel Long Wheel Base	8'6"	84"	56"	42"

DODGE

2003-PRESENT	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	58"	42"
Cab & Chassis	11'4"	94"/97"	84"	34"
Cab & Chassis	9'4"	94"/97"	60"	34"
Single Wheel Short Wheel Base	84"	84"	38"	42"
Single Wheel Long Wheel Base	8'6"	84"	58"	42"
Megacab (Single Wheel)	84"	84"	38"	42"
Megacab (Dually)	84"	97"	38"	42"

WE RECOMMEND...

*F-350 width 94", 97"
 *F-450 width 94", 97" with standard Headache Rack
 *F-550 width 97" with standard Headache Rack
 *2015 F-650 Requires 34.5" Runners


*4500 width 94", 97" with 60" Headrack
 *5500 width 94", 97" with 60" Headrack
 Prior to 2000 all measurements required

*2002 and earlier require 56" CTA and 38" runners on long bed

SD MODEL




Skirted Smooth Side with Front, Top and Rear Tool Boxes



2020 SD

The Norstar SD Service bed is our best-selling model, and for good reason too. It's perfect for day-to-day tasks. With its multiple standard tool boxes, adjustable smooth flare fenders, a rear lockable compartment, 12 Ga steel construction and much more, this bed is built tough.



STANDARD FEATURES

Steel Structural Frame
4" Runner Channels (Adjustable on 56" CTA Only)
Formed 3 x 3/16" Channel Cross Members
Steel Tube Head Rack w/ Cross Bars, Tail & Rev. Lights
Steel 1/8" Diamond Plate Floor
Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
Angled Fuel Filler Neck & DEF Ready
Skirted Rear Bumper w/ Anti Slip Step
Receiver Hitch Ready
4 Tool Boxes w/ T-lock Latches on Each Side (5 on 11'4")
Rear Lockable Compartment 27" x 38" - 78"
12 Ga Steel Construction
Mudflap Brackets
7 Way Plug in Gooseneck Box

Adjustable Smooth Flare Fenders
Powder Coated Black
3/4" LED Marker Lights
4 Clear 6" Oval LED Reverse Lights
6 Red 6" Oval LED ST/TL/TN Lights
Single LED License Plate Light
Side & Rear Reflectors
LED Rear Work Light w/ Switch on Headrack
All Lighting DOT Approved
Molded Sealed Harness w/ Resistors
4/5 & 7 Way Receiver Female Plug w/ ADAPTER
18.5k Rated Receiver, 30k Rated GN Ball
Adjustable Shelf in Front Tool Boxes



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



SD MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1450	50"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	50"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1705	50"
Dually (Bed Takeoff)	8'6"	90"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1735	50"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1790	50"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC,Dodge, Ford)	1820	50"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC,Dodge, Ford)	2180	50"


*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W53	Dual LED Head Rack Work Lights
WT	White	W55	Dual LED Rear Work Lights w/ Aluminum Housing
B06	2 1/2" Receiver	X50	Aluminum Diamond Plate Trim
C01	Additional Cross Member	X52	Big Truck Package
CT1	C-TECH 6 Drawers Tool Cabinet	X58	Aluminum Diamond Plate Tool Box Lid Covers
I02	Extend Head Rack From Standard Height	U01	Diam Plate .188" Floor 7'
F02	Smooth Stainless Steel Polished Fender	U02	Diam Plate .188" Floor 8' 6"
K09	Tail Gate Fold Down w/ Latch	U03	Diam Plate .188" Floor 9' 4"
M02	Flush Mount 5k Tie Down	U04	Diam Plate .188" Floor 11' 4"
N01	6" Channel Runners	U06	B & W Turnover Ball 2-5/16"
W50	Chrome Accent Light Package	HB1	Bale Spike Option (Includes: Tool Box, Power unit, 2 - 4' Spikes, 2 Cylinders, Spike Compartment)
W51	Aluminum Cast Rear Light Housing (Except on 84")		
W52	Aluminum Cast Rear License Plate Housing	OFP	Oil Field Package (18" bumper, running boards, shovel storage)



Standard Galvanized Tool Shelves



Optional C-TECH Tool Cabinet




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

SL MODEL




Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails



2020 SL

The Norstar SL Journeyman Bed is a marriage between our two most popular beds, the SD and ST. Our Journeyman Bed offers the best of both worlds with multiple tool boxes, a full-width deck, rub rails and stake pockets, and many more features for whatever the job throws at you.



STANDARD FEATURES

Steel Structural Frame
4" Runner Channels (Adjustable on 56" CTA Only)
Formed 3 x 3/16" Channel Cross Members
Steel Tube Head Rack w/ Cross Bars, Tail & Rev. Lights
Steel 1/8" Diamond Plate Floor
Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
Angled Fuel Filler Neck & DEF Ready
Skirted Rear Bumper w/ Anti Slip Step
Receiver Hitch Ready
Mudflap Brackets
7 Way Plug in Gooseneck Box
Adjustable Smooth Flare Fenders

Powder Coated Black
3/4" LED Marker Lights
4 Clear 6" Oval LED Reverse Lights
6 Red 6" Oval LED ST/TL/TN Lights
Single LED License Plate Light
Side & Rear Reflectors
All Lighting DOT Approved
Molded Sealed Harness w/ Resistors
4/5 & 7 Way Receiver Female Plug w/ ADAPTER
18.5k Rated Receiver, 30k Rated GN Ball
Adjustable Shelf in Front Tool Boxes



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



SL MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1450	50"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	50"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1705	50"
Dually (Bed Takeoff)	8'6"	97"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1735	50"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1790	50"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC,Dodge, Ford)	1820	50"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC,Dodge, Ford)	2180	50"


*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W53	Dual LED Head Rack Work Lights
WT	White	OFP	Oil Field Package (18" bumper, running boards, shovel storage)
B06	2 1/2" Receiver	X50	Aluminum Diamond Plate Trim
C01	Additional Cross Member	X52	Big Truck Package
CT1	C-TECH 6 Drawers Tool Cabinet	X58	Aluminum Diamond Plate Tool Box Lid Covers
I02	Extend Head Rack From Standard Height	U01	Diam Plate .188" Floor 7'
F02	Smooth Stainless Steel Polished Fender	U02	Diam Plate .188" Floor 8' 6"
K09	Tail Gate Fold Down w/ Latch	U03	Diam Plate .188" Floor 9' 4"
M02	Flush Mount 5k Tie Down	U04	Diam Plate .188" Floor 11' 4"
N01	6" Channel Runners	U06	B & W Turnover Ball 2-5/16"
W50	Chrome Accent Light Package	HB1	Bale Spike Option (Includes: Tool Box, Power unit, two 4' Spikes, two Cylinders, Spike Compartment)
W51	Aluminum Cast Rear Light Housing (Except on 84")		
W52	Aluminum Cast Rear License Plate Housing		



Standard Galvanized Tool Shelves



Optional C-TECH Tool Cabinet




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

SF MODEL



Smooth Side Rails with Internal Stake Pockets



2020 SF

The SF Model Flat Bed keeps a low profile, but is full of features that make it a force to be reckoned with. With a 18.5k Rated Receiver and 30k rated GN ball, this bed is a hauling monster.



STANDARD FEATURES

Steel Structural Frame
4" Runner Channels (Adjustable on 84", 8'6" Only)
Formed 3 x 3/16" Channel Cross Members
Steel Tube Head Rack with Cross Bars, Tail and Reverse Lights
Steel 1/8" Diamond Plate Floor
Built-In Gooseneck Well with Ball Mounted and Diamond Plate Lid
Angled Fuel Filler Neck
Skirted Rear Bumper with Anti-Slip Step
11 Ga Steel Construction
Receiver Hitch Ready
7 Way Plug in Gooseneck Box

Powder Coated Black
2.5" LED Reflective Marker Lights
4 Clear 6" Oval LED Reverse Lights
6 Red 6" Oval LED ST/TL/TN Lights
Single LED License Plate Light
All Lighting DOT Approved
Molded Sealed Harness with Resistors
4/5 & 7-Way Receiver Female Plug with Adapter
18.5k Rated Receiver, 30k Rated GN Ball
Adjustable Mudflap Brackets



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



SF MODEL

Smooth Side Rails with Internal Stake Pockets

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	940	80"
Mega Cab Dually	84"	97"	38"(Megacab Dually)	950	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	975	80"
Dually (Bed Takeoff)	8'6"	94", 97"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1015	90", 93"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1015	80"
Cab & Chassis Dually	9'4"	94", 97"	60"(Chevy/GMC,Dodge, Ford)	1080	90", 93"
Cab & Chassis Dually	11'4"	94", 97"	84"(Chevy/GMC,Dodge, Ford)	1130	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W61	Single LED Head Rack Work Lights
WT	White	X01	Gooseneck Trough 10.5"
B06	2 1/2" Receiver	X04	Gooseneck Trough 18"
N01	6" Channel Runners	X02	No Gooseneck Well
C01	Additional Cross Member	X52	Big Truck 22.5" Wheel (Flat Bed, Taller Bumper Skirt, Headrack, 6" Runner)
S51	Additional Stake Pockets	U01	Diam Plate .188" Floor 7'
S52	Rear Stake Pockets w/ Rub Rail	U02	Diam Plate .188" Floor 8' 6"
I02	Extend Head Rack From Standard Height	U03	Diam Plate .188" Floor 9' 4"
I03	Spare Tire Mount on Head Rack	U04	Diam Plate .188" Floor 11' 4"
K08	Fold Down Rails	U05	Dove Tail
M02	Flush Mount 5k Tie Down	U06	B & W Turnover Ball 2-5/16"
W50	Chrome Accent Light Package	HB1	Bale Spike Option (Includes: Tool Box, Power unit, 2 - 4' Spikes, 2 Cylinders, Spike Compartment)
W53	Dual LED Head Rack Work Lights		




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

SR MODEL




Diamond Plate Side Rails with Stake Pockets and Rub Rail



2020 SR


The Norstar SR model is our flagship truck bed. Durable diamond plate construction, steel structural frame and a 15k rated hitch will make this your everyday task-ready truck bed for years to come.



STANDARD FEATURES

Steel Structural Frame
4" Runner Channels (Adjustable on 84", 8'6" Only)
Formed 3 x 3/16" Channel Cross Members
Steel Tube Head Rack with Cross Bars, Tail and Reverse Lights
Steel 1/8" Diamond Plate Floor
Built-In Gooseneck Well with Ball Mounted and Diamond Plate Lid
Angled Fuel Filler Neck and DEF Ready
Skirted Rear Bumper
1/8" Diamond Plate Construction
Receiver Hitch Ready
7 Way Plug in Gooseneck Box

Powder Coated Black
2.5" LED Reflective Marker Lights
4 Clear 6" Oval LED Reverse Lights
6 Red 6" Oval LED ST/TL/TN Lights
Single LED License Plate Light
All Lighting DOT Approved
Molded Sealed Harness with Resistors
4/5 & 7 Way Receiver Female Plug with ADAPTER
18.5k Rated Receiver, 30k Rated GN Ball
Adjustable Mudflap Brackets



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



SR MODEL

Diamond Plate Side Rails with Stake Pockets and Rub Rail

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	985	80"
Mega Cab Dually	84"	97"	38"(Megacab Dually)	955	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1070	80"
Dually (Bed Takeoff)	8'6"	94", 97"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1035	90", 93"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC, Dodge, Ford)	1160	80"
Cab & Chassis Dually	9'4"	94", 97"	60"(Chevy/GMC, Dodge, Ford)	1180	90", 93"
Cab & Chassis Dually	11'4"	94", 97"	84"(Chevy/GMC, Dodge, Ford)	1250	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W61	Single LED Head Rack Work Lights
WT	White	X01	Gooseneck Trough 10.5"
B06	2 1/2" Receiver	X04	Gooseneck Trough 18"
N01	6" Channel Runners	X02	No Gooseneck Well
C01	Additional Cross Member	X52	Big Truck 22.5" Wheel (Flat Bed, Taller Bumper Skirt, Headrack, 6" Runner)
S51	Additional Stake Pockets	U01	Diam Plate .188" Floor 7'
S52	Rear Stake Pockets w/ Rub Rail	U02	Diam Plate .188" Floor 8' 6"
I02	Extend Head Rack From Standard Height	U03	Diam Plate .188" Floor 9' 4"
I03	Spare Tire Mount on Head Rack	U04	Diam Plate .188" Floor 11' 4"
K08	Fold Down Rails	U05	Dove Tail
M02	Flush Mount 5k Tie Down	HB1	Bale Spike Option (Includes: Tool Box, Power unit, 2 - 4' Spikes, 2 Cylinders, Spike Compartment)
W50	Chrome Accent Light Package		
W53	Dual LED Head Rack Work Lights	U06	B & W Turnover Ball 2-5/16"




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

ST MODEL





Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails



2020 ST


The ST Model is a heavy-hauler. It comes loaded with four standard toolboxes, available bale spikes, rub rails and an optional gooseneck trough. The ST is built to carry whatever you need to wherever you need it.



STANDARD FEATURES

- Steel Structural Frame
- 4" Runner Channels (Adjustable on 56" CTA Only)
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack w/ Cross Bars, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- Skirted Rear Bumper with Anti Slip Step
- Receiver Hitch Ready
- 11 Ga Steel Construction
- Mudflap Brackets
- 7 Way Plug in Gooseneck Box

- Removable Smooth Plate Fenders
- Powder Coated Black
- 2.5" LED Reflective Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug w/ ADAPTER
- 18.5k Rated Receiver, 30k Rated GN Ball
- Front and Rear Tool Boxes Standard



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



ST MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1045	80"
Mega Cab Dually	84"	97"	38"(Megacab Dually)	1155	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2018+)	1275	80"
Dually (Bed Takeoff)	8'6"	94", 97"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2018+)	1295	90", 93"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC, Dodge, Ford)	1320	80"
Cab & Chassis Dually	9'4"	94", 97"	60"(Chevy/GMC, Dodge, Ford)	1465	90", 93"
Cab & Chassis Dually	11'4"	94", 97"	84"(Chevy/GMC, Dodge, Ford)	1585	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W52	Aluminum Cast Rear License Plate Housing
WT	White	W53	Dual LED Head Rack Work Lights
B06	2 1/2" Receiver	W61	Single LED Head Rack Work Lights
N01	6" Channel Runners	X01	Gooseneck Trough 10.5"
C01	Additional Cross Member	X04	Gooseneck Trough 18"
S51	Additional Stake Pockets	X50	Aluminum Diamond Plate Trim
S52	Rear Stake Pockets w/ Rub Rail	X51	Big Truck 22.5" Wheel (Big Fender, Skirts & Tool Boxes, Headrack, 6" Runner)
I02	Extend Head Rack From Standard Height	U01	Diam Plate .188" Floor 7"
F02	Smooth Stainless Steel Polished Fender	U02	Diam Plate .188" Floor 8' 6"
K08	Fold Down Rails	U03	Diam Plate .188" Floor 9' 4"
M02	Flush Mount 5k Tie Down	U04	Diam Plate .188" Floor 11' 4"
W50	Chrome Accent Light Package	U05	Dove Tail
W51	Aluminum Cast Rear Light Housing	U06	B & W Turnover Ball 2-5/16"
OFP	Oil Field Package (18" Bumper, Running Boards, Shovel Storage)	HB1	Bale Spike Option (Includes: Tool Box, Power unit, 2 - 4' Spikes, 2 Cylinders, Spike Compartment)




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

WH MODEL



Skirted Smooth Side with Four Tool Boxes



2019 WH

The WH Model is our top of the line bed. This Western Hauler Truck Bed comes ready to impress with its diamond plate steel structural frame and head-turning standard aluminum trim package.



STANDARD FEATURES

Steel Structural Frame
4" Runner Channels (Adjustable on 56" CTA Only)
Formed 3 x 3/16" Channel Cross Members
Steel Tube Head Rack w/ Cross Bars, Tail & Rev. Lights
Steel 1/8" Diamond Plate Floor
Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
Skirted Rear Bumper w/ Anti Slip Step
2 Aluminum Cast Angled Fuel Fillers
Aluminum Cast Tail Light Housing
Aluminum Cast License Plate Housing
Aluminum Trim Package
11 Ga Steel Construction
4 Side Swing Tool Box Doors w/ Chrome Hinges (Except Megacab)
7 Way Plug in Gooseneck Trough

4 Recessed D-Rings
18" Gooseneck Trough
Dove Tail
Powder Coated Black
Chrome Accent Lighting
2.5" LED Reflective Marker Lights
4 Clear 6" Oval LED Rev. Lights
6 Red 6" Oval LED ST/TL/TN Lights
Single LED License Plate Light
All Lighting DOT Approved
Molded Sealed Harness w/ Resistors
4/5 & 7 Way Receiver Female Plug w/ ADAPTER
15k Rated Receiver, 30k Rated GN Ball
Mudflap Brackets



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



WH MODEL

Skirted Smooth Side with Four Tool Boxes

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	78"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	915	74"
Mega Cab Dually	84"	88"	38"(Megacab Dually)	965	88"
Single Wheel Long Bed	8'6"	78"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1095	74"
Dually (Bed Takeoff)	8'6"	84", 88"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1290	80", 84"
Cab & Chassis Single Wheel	9'4"	78"	60"(Chevy/GMC,Dodge, Ford)	1235	74"
Cab & Chassis Dually	9'4"	84", 88"	60"(Chevy/GMC,Dodge, Ford)	1355	80", 84"
Cab & Chassis Dually	11'4"	84", 88"	84"(Chevy/GMC,Dodge, Ford)	1515	80", 84"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	M02	Smooth Stainless Steel Polished Fender
WT	White	W53	Tail Gate Fold Down w/ Latch
B06	2 1/2" Receiver	W61	Flush Mount 5k Tie Down
N01	Additional Cross Member	R01	6" Channel Runners
C01	C-TECH 6 Drawers Tool Cabinet	U06	Chrome Accent Light Package
I02	Extend Head Rack From Standard Height		




BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

SC MODEL



Skirted Smooth Side with Front, Top and Rear Tool Boxes



Top Tool Trays
(Optional)

Side Top
Tool Box

C-TECH 6-Drawer
Tool Cabinet
(Optional)

Polished
Fenders

Rear Side
Tool Box

2020 SC

The Norstar SC Service bed is a great addition to any job site. Our precision built Service Body offers multiple standard tool boxes, polished fenders, 12 Ga steel construction and more for your daily tasks.



Tail Gate
(Optional)

16" Lockable
Compartment

2.5" Receiver
Hitch

STANDARD FEATURES

- Steel Structural Frame
- 4" Runner Channels (Adjustable on 56" CTA Only)
- Formed 3 x 3/16" Channel Cross Members
- Steel 1/8" Diamond Plate Floor
- Angled Fuel Filler Neck & DEF Ready
- Skirted Rear Bumper with Anti Slip Step
- Receiver Hitch Ready
- 3 Tool Boxes w/ T-lock Latches, Adjustable Shelves on Each Side
- Rear Lockable Compartment 27" x 38" - 78"
- 12 Ga Steel Construction
- Mudflap Brackets

- 3/4" LED Marker Lights
- Premium Powder/Primer Black or White
- Smooth Flare Fenders (Adjustable on Duallys)
- 2 Clear 6" Oval LED Reverse Lights
- 4 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- All Lighting DOT Approved
- Molded Sealed Harness w/ Resistors
- 4/5 & 7 Way Receiver Female Plug w/ ADAPTER
- 18.5k Rated Receiver



NORSTAR TRUCK BEDS

FOLLOW THE STAR

Photos may include optional features.



SC MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2020 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1735	50"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	50"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	2100	50"
Dually (Bed Takeoff)	8'6"	90"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford 2020+)	1740	50"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC, Dodge, Ford)	2300	50"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC, Dodge, Ford)	1840	50"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC, Dodge, Ford)	2080	50"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

OPTIONAL FEATURES

CODE	DESCRIPTION	CODE	DESCRIPTION
BK	Black	W51	Aluminum Cast Rear Light Housing
WT	White	W52	Aluminum Cast Rear License Plate Housing
B06	2 1/2" Receiver	W61	Single LED Head Rack Work Lights
N01	6" Channel Runners	W53	Dual LED Head Rack Work Lights
C01	Additional Cross Member	W55	Dual LED Rear Work Lights w/ Aluminum Housing
I02	Extend Head Rack From Standard Height	X50	Aluminum Diamond Plate Trim
I26	3.5" Tube x 37.75" Head Rack	U01	Diam Plate .188" Floor 7'
F02	Smooth Stainless Steel Polished Fender	U02	Diam Plate .188" Floor 8' 6"
F89	Top Lid Tool Tray (Two per Side)	U03	Diam Plate .188" Floor 9' 4"
CT1	C-TECH 6 Drawers Tool Cabinet	U04	Diam Plate .188" Floor 11' 4"
K09	Tail Gate Fold Down w/ Latch	U06	B & W Turnover Ball 2-5/16"
M02	Flush Mount 5k Tie Down	OFP	Oil Field Package (18" bumper, running boards, shovel storage)
W50	Chrome Accent Light Package		



Standard Galvanized Tool Shelves



Optional C-TECH Tool Cabinet



BUILD A QUOTE ONLINE AT NORSTARCOMPANY.COM

Photos may include optional features.

AR MODEL



Aluminum Side Rails with Stake Pockets and Rub Rails

MODEL	LENGTH	WIDTH	CAB TO AXLE
Single Wheel Short Bed	84"	84"	38", 40", 42"
Mega Cab Dually	84"	97"	38"
Single Wheel Long Bed	8'6"	84"	56", 58"
Dually (Bed Takeoff)	8'6"	94", 97"	56", 58"
Cab & Chassis Single Wheel	9'4"	84"	60"
Cab & Chassis Dually	9'4"	94", 97"	60"
Cab & Chassis Dually	11'4"	94", 97"	84"



Optional Chrome Light Package



Optional Removable 6" Smooth Aluminum Rail Extensions




Continuing Norstar's legacy of quality built products, we introduce our new Aluminum Line. With a gooseneck hitch rating of trailer weight at 30,000 Lbs and tongue weight at 6,000 Lbs, and a receiver hitch rated at 14,500 Lbs for trailer and 1,400 Lbs for tongue, the AR and AT bring some serious towing power to your arsenal.





Aluminum Side Rails with Stake Pockets and Rub

MODEL	LENGTH	WIDTH	CAB TO AXLE
Single Wheel Short Bed	84"	84"	38", 40", 42"
Mega Cab Dually	84"	97"	38"
Single Wheel Long Bed	8'6"	84"	56", 58"
Dually (Bed Takeoff)	8'6"	94", 97"	56", 58"
Cab & Chassis Single Wheel	9'4"	84"	60"
Cab & Chassis Dually	9'4"	94", 97"	60"
Cab & Chassis Dually	11'4"	94", 97"	84"



UNDERMOUNT OR STACKABLE TOOL BOXES

Part #	Option Code	Length	Width	Depth	Latches
S0509200		18"	16"	12"	1
S0509202	F6001	24"	16"	12"	1
S0509205	F6002	30"	16"	12"	1
S0509204	F6003	24"	16"	16"	1
S0509207	F6004	30"	16"	16"	1
S0509219	F6005	18"	18"	18"	1
S0509222	F6006	24"	18"	18"	1
S0509229	F6007	36"	18"	18"	1
S0509233	F6008	48"	18"	18"	1
S0509236	F6009	60"	18"	18"	2

NOTE: Part No. will be used when item is sold individually.
Option Code will be used when mounted to truck bed.



Max Box Sizes

Single 84"	18x16x12
Dually 8'6"	24x16x16
Dually 9'4"	30x16x16
Dually 11'4"	60x16x16
Single 8'6"	24x16x12
Single 9'4"	30x16x12



PLUG-N-PLAY INSTALLATION ADAPTERS

Part #	Description
1001009	WIRE HARNESS ADAPTER FORD, CAB CHASS ('00-CURNT) (FCA-01)
1001010	WIRE HARNESS ADAPTER DODGE, CAB CHASS ('00-CURNT) (DCA-01)
1001011	WIRE HARNESS ADAPTER FORD, BOX DELETE ('11-'16) (FBDA-01)
1001012	WIRE HARNESS ADAPTER GM, ADAPTER ('14-'15) (GMA-01)
1001013	WIRE HARNESS ADAPTER FORD, BOX DELETE w/ CAMERA ('11-'16)(FBDSA-01)
1001019	WIRE HARNESS ADAPTER FORD, BOX DELETE '17-CURNT (FBDA-02)
1001020	WIRE HARNESS ADAPTER GM '16-CURNT, (GMA-'16)
1001021	WIRE HARNESS ADAPTER UNI./DODGE BOX DELETE GEN. HARD WIRE (JCTS-1230)



SIDE RAIL EXTENSION

Part #	Description
S0800101	EXTENSIONS SR, ST, SF 14GA 6"-84"
S0800102	EXTENSIONS SR, ST, SF 14GA 6"-8'6"
S0800103	EXTENSIONS SR, ST 14GA 6"-9'4"
S0800103-01	EXTENSIONS SF 14GA 6" - 9'4"
S0800104	EXTENSIONS SR, ST 14GA 6"-11'4"
S0800104-01	EXTENSIONS SF 14GA 6"-11'4"



OTHER PARTS


Part #	Description
S0600300	HEAD RACK SPARE TIRE MOUNTING KIT
S1310000	HARDWARE KIT, UNI. MOUNTING PLATES
1400050	MUD FLAP 14" x 22" (PAIR)
1400051	MUD FLAP 20" x 22" (PAIR)




DEALER PRICING AVAILABLE AT NORSTARPARTS.COM

C-TECH AND TOOL CABINETS

							
MODEL	L	W	CTA	FRONT (A)	SECOND FRONT (B)	HORIZONTAL (C)	REAR (D)
SC	8'6"	84"	56", 58"	1402007 - 22 x 26.8 x 14.5	Not available	1402010 39 x 10.6 x 14.5	Not Available
	9'4"	84"	60"	1402007 - 22 x 26.8 x 14.5	Not available	1402010 39 x 10.6 x 14.5	Not Available
	8'6"	90"	56", 58"	1402008 - 22 x 26.8 x 18.5	Not available	1402011 39 x 10.6 x 18.5	Not Available
	9'4"	90"	60"	1402008 - 22 x 26.8 x 18.5	Not available	1402011 39 x 10.6 x 18.5	1402015 - 17.77 x 26.8 x 18.5
	11'4"	90"	84"	1402008 - 22 x 26.8 x 18.5	1402009 - 16 x 26.8 x 18.5	1402011 39 x 10.6 x 18.5	1402015 - 17.75 x 26.8 x 18.5



MODEL	L	W	CTA	FRONT (A)
SD	84"	90"	38", 40", 42"	Not Available
	8'6", 9'4", 11'4"	84"	56", 58", 60", 84"	1402004 - 14.5 x 26.8 x 14.5
	8'6", 9'4", 11'4"	90"	56", 58", 60", 84"	1402005 - 14.5 x 26.8 x 18.5



DEALER PRICING AVAILABLE AT NORSTARPARTS.COM



DISCLAIMER

This Product Guide contains information concerning technical descriptions of components, features and options available for each particular truck bed.

We hope you find this information helpful to you in your sales. To ensure better communication, we ask that you carefully read the Warranty Procedure Information, Terms of Sale and Sales Order Information.

This Product Guide is the property of Norstar Company LLC. The information contained herein is confidential and to be used by Norstar Company LLC employees and authorized dealers only. The information and specifications contained in this booklet are subject to change at any time without notice.

WARRANTY

All Norstar Warranty claims must be processed by an Authorized Norstar Dealer. Claims cannot be initiated without first contacting an Authorized Norstar Dealer. To start a warranty claim, contact an Authorized Norstar Dealer.

Norstar Company LLC warrants each new Iron Bull Trailer/ Norstar Truck Bed to be free from structural defects in materials and workmanship for a period of three (3) years from the date of purchase.

Non-structural components are covered for two (2) years by the original component manufacturer such as but not limited to: Brakes, Lights, Couplers, Hitch Balls, Mud Flaps, Latches & Locks, Hinges, Harnesses & Connectors, Jacks, Wheels, tires, bearings and Axle Components, Suspensions, Hydraulic Systems and Components. All Electrical Controls and Components are warranted for two (2) years from the date of purchase per the discretion of the manufacture, when they are part of the original factory shipment.

Norstar Company LLC warrants its paint finish to be consistent with the industry standards for 6 months from the original ship date.

Norstar Company LLC shall repair or replace, without charge, any parts found to be defective due to faulty materials or workmanship. Any warranty issue must be reported immediately and will be handled within a reasonable time after the trailer or bed is returned to an authorized Norstar Company LLC dealer.

Exclusions and Limitations:

Except where prohibited by law, the following are not covered by warranty: bed installation or removal, incidental or consequential damages, loss of time, inconvenience, towing charges, travel expenses, lodging, telephone charges, fuel, loss or damage to personal property, shipping damage, commercial loss, cost of meals, lodging or loss of wages, damage due to negligence, misuse, overload, corrosive materials, improper installation, lack of proper maintenance, or has been repaired or altered without the prior written consent of Norstar Company LLC.

Items that are found to be altered or modified from the original condition in any way will not be covered by warranty. Defects and/or malfunctions caused by accident, abuse, misapplication, damage, vehicle collision, unreasonable use, or failure to provide maintenance are not covered by warranty.

Damage due to catastrophic weather conditions is not warrantable. Any trailer or truck bed used as a rental unit or as part of a combination rental unit are not covered. Normal wear items will not be covered due to normal wear and tear. These normal wear items include but are not limited to flooring, paint, brakes lining (s), tires, struts, lights, batteries, hinges, bearings and hoses.

Warranty extends only to the original purchaser. If the product is transferred or sold, it is no longer warranted.

Damages sustained during delivery are not covered by Norstar Company LLC. Delivery damages should be noted by the dealer at the time of delivery and reported. In order to file a shipping damage claim damages must be indicated on the original packing slip and photos must be taken at the time of delivery and immediately reported to Norstar Company LLC. Failure to note the packing slip and record photos at the time of delivery of damages could result in a denied claim from the carrier.

Warrantable paint repairs are limited to spot repairs and blending consistent with industry standards. Deterioration due to use or exposure, such as chipping, scratching, fading, cracks in caulk seam, road salt, tar, other chemicals, pressure washing, or damage by animals will not be covered. Rust streaking originating from areas where it is virtually impossible to achieve total paint or powder coat coverage, i.e. behind rub rails or where two or more metals adjoin, are considered to be consistent with industry standards and are not covered.

Transportation cost to and from the Norstar Company LLC authorized dealer, factory location, or approved repair facility are not covered and will not be reimbursed.

Norstar Company LLC authorized repairs are subject to a fixed labor rate and only factory authorized replacement parts. All warranty repairs must first be authorized by Norstar Company LLC via dealer submission. Any repair outside of authorized Norstar Company LLC dealers will not be reimbursed without prior approval by Norstar Company LLC. Any repairs performed at a location other than a Norstar Company LLC authorized dealer will be allotted a fixed per hour labor costs. All approved repairs must have invoices submitted within 30 days of the repair in order to qualify for reimbursement.

Norstar Company LLC is not responsible for any damages caused by breach of any warranty both expressed and/or implied. Product registration within 15 days from purchase is required to obtain this warranty. Norstar Company LLC makes no other express or implied warranties which extend beyond those described in the above policy.

Should you have further questions regarding our state warranty policy, please direct inquiries to:

Norstar Company LLC.
5500 FM 38N
Brookston, Texas 75421
www.norstarcompany.com





FOLLOW
THE
STAR